CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG    888888       11       222222                CCCCCC
GG         88    88     111      22    22              CC
GG         88    88      11             222           CC
GG  GGGG    888888       11           222             CC
GG    GG   88    88      11         22                CC
GG    GG   88    88      11       22                  CC
 GGGGGG     888888    11111111   22222222              CCCCCC
```

CODEBOOK

KLDIP/SOFF/DCON

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JCEC

77/04/23. 19.40.28.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC-SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=KIDIP(0,7)/SOFF(0,9)/DCON(1,7)/TABLES=KIDIP BY SOFF BY
               DCON
STATISTICS     ALL
READ INPUT DATA

043300 CM NEEDED FOR CROSSTABS
```

DATA DOCUMENTS/INC-SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

KIDIP BY SOFF

CONTROLLING FOR..

DCON VALUE.. 2 → 1590-1599

* * * * * * * * * * * * * * * * * * \

TRIAL RUN FOR THE PARLEMENT 77/04/23. PAGE 6

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * *

KIDIP BY SOFF

CONTROLLING FOR..

DCON VALUE.. 3 → 1600-1609

* * * * * * * * * * * * * * * * * \

ETA = .83936 WITH KIDIP DEPENDENT.
ETA = .87260 WITH SOFF DEPENDENT.

DATA DOCUMENTS/INC.-SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

KIDIP BY SOFF

CONTROLLING FOR..

DCON VALUE.. 4 → 1610-1619

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF *

KIDIP BY SOFF

CONTROLLING FOR..

DCON VALUE.. 5 → 1620-1629

* PAGE 1 OF 1

KIDIP	SOFF	1 NONE AT ADULTHOOD	2 NONE	3 25%↓	4 33⅓%	6 50%	8 66⅔%	9 75%+	ROW TOTAL
2	COUNT	30	1	0	0	1	0	0	32
	ROW PCT	93.8	3.1	0	0	3.1	0	0	35.2
	COL PCT	96.8	7.1	0	0	6.7	0	0	
	TOT PCT	33.0	1.1	0	0	1.1	0	0	
3	COUNT	1	13	0	2	3	0	6	25
	ROW PCT	4.0	52.0	0	8.0	12.0	0	24.0	27.5
	COL PCT	3.2	92.9	0	33.3	20.0	0	33.3	
	TOT PCT	1.1	14.3	0	2.2	3.3	0	6.6	
4	COUNT	0	0	3	4	9	3	11	30
	ROW PCT	0	0	10.0	13.3	30.0	10.0	36.7	33.0
	COL PCT	0	0	100.0	66.7	60.0	75.0	61.1	
	TOT PCT	0	0	3.3	4.4	9.9	3.3	12.1	
5	COUNT	0	0	0	0	2	1	1	4
	ROW PCT	0	0	0	0	50.0	25.0	25.0	4.4
	COL PCT	0	0	0	0	13.3	25.0	5.6	
	TOT PCT	0	0	0	0	2.2	1.1	1.1	
COLUMN TOTAL		31 34.1	14 15.4	3 3.3	6 6.6	15 16.5	4 4.4	18 19.8	91 100.0

No Sons

None

One Son

Two Sons

RAW CHI SQUARE = 121.70396 WITH 18 DEGREES OF FREEDOM. SIGNIFICANCE = .0000
CRAMER≠S V = .66768
CONTINGENCY COEFFICIENT = .75642
LAMBDA (ASYMMETRIC) = .69492 WITH KIDIP DEPENDENT. = .41667 WITH SOFF DEPENDENT.
LAMBDA (SYMMETRIC) = .55462
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .59517 WITH KIDIP DEPENDENT. = .42868 WITH SOFF DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .49839
KENDALL≠S TAU B = .72501. SIGNIFICANCE = .0000
KENDALL≠S TAU C = .71231. SIGNIFICANCE = .0000
CONDITIONAL GAMMA = .83283
SOMERS≠S D (ASYMMETRIC) = .67915 WITH KIDIP DEPENDENT. = .77397 WITH SOFF DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .72347
ETA = .87646 WITH KIDIP DEPENDENT.
ETA = .75567 WITH SOFF DEPENDENT.

DATA DOCUMENTS/INC. 55-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

KIDIP BY SOFF

CONTROLLING FOR..

DCON VALUE.. 6 → 1630-1639

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * *

KIDIP BY SOFF

CONTROLLING FOR.. DCON

VALUE.. 7 → 1640-1650

* PAGE 1 OF 1

KIDIP	SOFF	None at adulthood	None	25% ↓	33⅓%	40%	50%	60%	75% +	ROW TOTAL
		1	2	3	4	5	6	7	9	
2 (No Sons)	COUNT	43	1	0	0	0	0	0	0	44
	ROW PCT	97.7	2.3	0	0	0	0	0	0	47.8
	COL PCT	97.7	9.1	0	0	0	0	0	0	
	TOT PCT	46.7	1.1	0	0	0	0	0	0	
3 (None)	COUNT	1	10	0	0	0	3	1	10	25
	ROW PCT	4.0	40.0	0	0	0	12.0	4.0	40.0	27.2
	COL PCT	2.3	90.9	0	0	0	50.0	100.0	45.5	
	TOT PCT	1.1	10.9	0	0	0	3.3	1.1	10.9	
4 (One Son)	COUNT	0	0	2	3	3	2	0	8	18
	ROW PCT	0	0	11.1	16.7	16.7	11.1	0	44.4	19.6
	COL PCT	0	0	100.0	100.0	100.0	33.3	0	36.4	
	TOT PCT	0	0	2.2	3.3	3.3	2.2	0	8.7	
5 (Two Sons)	COUNT	0	0	0	0	0	1	0	4	5
	ROW PCT	0	0	0	0	0	20.0	0	80.0	5.4
	COL PCT	0	0	0	0	0	16.7	0	18.2	
	TOT PCT	0	0	0	0	0	1.1	0	4.3	
COLUMN TOTAL		44 / 47.8	11 / 12.0	2 / 2.2	3 / 3.3	3 / 3.3	6 / 6.5	1 / 1.1	22 / 23.9	92 / 100.0

RAW CHI SQUARE = 131.13471 WITH 21 DEGREES OF FREEDOM. SIGNIFICANCE = .0000
CRAMER'S V = .68929
CONTINGENCY COEFFICIENT = .76661
LAMBDA (ASYMMETRIC) = .64583 WITH KIDIP DEPENDENT. = .43750 WITH SOFF DEPENDENT.
LAMBDA (SYMMETRIC) = .54167
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .66051 WITH KIDIP DEPENDENT. = .52764 WITH SOFF DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .58665
KENDALL'S TAU B = .78957. SIGNIFICANCE = .0000
KENDALL'S TAU C = .70983. SIGNIFICANCE = .0000
CONDITIONAL GAMMA = .87973
SOMERS'S D (ASYMMETRIC) = .76842 WITH KIDIP DEPENDENT. = .81131 WITH SOFF DEPENDENT.
SOMERS'S D (SYMMETRIC) = .78928
ETA = .88206 WITH KIDIP DEPENDENT.
ETA = .79395 WITH SOFF DEPENDENT.

SUMMARY GAMMAS FOR CROSSTABULATION OF KIDIP BY SOFF
ZERO-ORDER GAMMA = .84710
FIRST-ORDER PARTIAL GAMMA = .84981

NUMBER OF MISSING OBSERVATIONS = 314

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER